

7. List of other drugs used by the patient during the period of one month:

Name of the drug	Manufacturer / Batch no.	Dose	Form / Route of administration	Date of		Reason for use	Any unwanted occurrences
				Starting	Stopped / Continued		

8. Details of the drug suspected to cause ADR:

- a. Name of the drug:
- b. Manufacturing date and Expiry date (if available):
- c. Remaining pack / label (if available):
- d. Consumed orally along with (water / milk / honey / or any other)
- e. Whether any dietary precautions have been prescribed?
If yes, please specify:
- f. Whether the drug is consumed under medical supervision or used as self medication.
- g. Any other relevant information associated with drug use:

9. Management provided / taken for suspected adverse reaction

10. Please indicate outcome of the suspected adverse reaction (tick appropriate)

Recovered:	Not recovered:	Unknown:	Fatal:	If Fatal Date of death:
Severe: Yes / No.	Reaction abated after drug stopped or dose reduced:			
	Reaction reappeared after re administration of drug:			
Was the patient admitted to hospital? If yes, give name and address of hospital				

11. Any abnormal findings of relevant laboratory investigations related to the episode done pre and post episode of ADR:

12. Particulars of ADR Reporter:

Please tick: Patient / Attendant / Nurse / Doctor / Pharmacist / Health worker / Drug Manufacturer / Any others (please specify)
Name:
Address:
Telephone / E - mail:

Signature of the reporter:

Date:

Please send the completed form to: The centre from where the form is received or to

The Coordinator, National Pharmacovigilance Coordination Centre (NPvCC)

All India Institute of Ayurveda (AIIA), Mathura Road, Gautam Puri,

Sarita Vihar, New Delhi - 110 076

E-mail: pharmacovigilanceayush@gmail.com, ayush-pharmavig@aiia.gov.in

The ADR Probability Scale

(Program Coordinator has to fill this scale)

	Questions	Yes	No	Don't Know
1	Are there previous conclusive reports on the reactions?	+1	0	0
2	Did the ADR appear after the suspected drug was administered?	+2	-1	0
3	Did the ADR improve when the drug was discontinued a specific antagonist was administered?	+1	0	0
4	Did the adverse reaction reappear when the drug was re-administered?	+2	-1	0
5	Are there alternative causes that could solely have caused the ADR?	-1	+2	0
6	Was the drug detected in the blood (or other fluids) in a concentration known to be toxic?	+1	0	0
7	Was the reaction more severe when the dose was increased, or less severe when the dose was decreased?	+1	0	0

8	Did the patient have a similar reaction to the same or similar drugs in any previous exposure?	+1	0	0
9	Was the adverse event confirmed by objective evidence?	+1	0	0
	Total Score			

Score: > 9 = Certain;

5-8 = Probable;

1-4 = Possible;

0 = Unlikely

Signature
Program Coordinator